

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

## ESOŠA SITUĀCIJA

Point-source /CNOSSO (4)										Esoša
EQCN001	Label	Ventilators		Action radius/m			99999.00			
	Group	Pneimotransporta sistēmas izvadi		Emission is			Sound power level (Lw)			
	Number of nodes	1		Emi. variant	Emission	Sound insul.	Correction	Lw		
	Length/ m	---			dB(A)	dB	dB	dB(A)		
	Length/ m (2D)	---		Day (12h)	97.00	-	-	97.00		
	Area /m²	---		Night (8h)	97.00	-	-	97.00		
				Evening (4h)	97.00	-	-	97.00		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)		
	Day (12h)	12.00	Day	97.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	97.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	97.0	1.00	8.00000	0.00	0.0		
EQCN002	Label	Tehnoloģiskais troksnis (ventilācija)		Action radius/m			99999.00			
	Group	Tehnoloģiskais troksnis		Emission is			Sound power level (Lw)			
	Number of nodes	1		Emi. variant	Emission	Sound insul.	Correction	Lw		
	Length/ m	---			dB(A)	dB	dB	dB(A)		
	Length/ m (2D)	---		Day (12h)	100.20	-	-	100.20		
	Area /m²	---		Night (8h)	100.20	-	-	100.20		
				Evening (4h)	100.20	-	-	100.20		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)		
	Day (12h)	12.00	Day	100.2	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	100.2	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	100.2	1.00	8.00000	0.00	0.0		
EQCN003	Label	Biomasas kurtuve Ness/motors		Action radius/m			99999.00			
	Group	Biomasas kurtuve Ness		Emission is			Sound power level (Lw)			
	Number of nodes	1		Emi. variant	Emission	Sound insul.	Correction	Lw		
	Length/ m	---			dB(A)	dB	dB	dB(A)		
	Length/ m (2D)	---		Day (12h)	84.50	-	-	84.50		

	Area /m²	---			Night (8h)	84.50	-	-	84.50	
					Evening (4h)	84.50	-	-	84.50	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)	12.00	Day	84.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	84.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	84.5	1.00	8.00000		0.00	0.0	
EQCN004	Label	KSP bloks			Action radius/m			99999.00		
	Group	Group 0			Emission is			Sound power level (Lw)		
	Number of nodes	1			Emi. variant	Emission	Sound insul.	Correction	Lw	
	Length/ m	---				dB(A)	dB	dB	dB(A)	
	Length/ m (2D)	---			Day (12h)	102.80	-	-	102.80	
	Area /m²	---			Night (8h)	102.80	-	-	102.80	
					Evening (4h)	102.80	-	-	102.80	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)	12.00	Day	102.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	102.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	102.8	1.00	8.00000		0.00	0.0	

Line source /CNOSSOS (7)														Esoša
LQCN009	Label		gatavā produkcija				Action radius/m				99999.00			
	Group		Gatavā produkcija				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		4				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		119.09				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		119.08				Lw' (Day (12h)) /dB(A)				83.04			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				83.04			
							Lw' (Evening (4h)) /dB(A)				83.04			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB	Lw'r /dB(A)		
	Day (12h)		12.00	Day	83.0		1.00		0.03628		-25.20	-25.2		
	Evening (4h)		4.00	Evening	83.0		1.00		0.00000		-99.00	-		
	Night (8h)		8.00	Night	83.0		1.00		0.00000		-99.00	-		
LQCN010	Label		gatavā produkcija				Action radius/m				99999.0			
	Group		Gatavā produkcija				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		57				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		1108.22				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		1108.15				Lw' (Day (12h)) /dB(A)				73.35			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				73.35			
							Lw' (Evening (4h)) /dB(A)				73.35			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB	Lw'r /dB(A)		
	Day (12h)		12.00	Day	73.4		1.00		0.16881		-18.52	-18.5		
	Evening (4h)		4.00	Evening	73.4		1.00		0.00000		-99.00	-		
	Night (8h)		8.00	Night	73.4		1.00		0.00000		-99.00	-		
LQCN011	Label		Uz pieņemšanu				Action radius/m				99999.00			
	Group		Uz pieņemšanu				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		62				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		776.96				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		776.95				Lw' (Day (12h)) /dB(A)				74.90			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				74.90			
							Lw' (Evening (4h)) /dB(A)				74.90			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	74.9	-	-	47.1	56.2	58.7	66.1	69.3	70.5	67.3	57.2	

	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	74.9	-	-	47.1	56.2	58.7	66.1	69.3	70.5	67.3	57.2	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	74.9	-	-	47.1	56.2	58.7	66.1	69.3	70.5	67.3	57.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	74.9		1.00		0.13537		-19.48		-19.5	
	Evening (4h)		4.00	Evening	74.9		1.00		0.05205		-18.86		-18.9	
	Night (8h)		8.00	Night	74.9		1.00		0.01020		-28.94		-28.9	
LQCN012	Label		Uz pieņemšanu				Action radius/m				99999.00			
	Group		Uz pieņemšanu				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		36				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		346.38				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		346.37				Lw' (Day (12h)) /dB(A)				78.41			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				78.41			
							Lw' (Evening (4h)) /dB(A)				78.41			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	78.4	-	-	50.6	59.7	62.2	69.6	72.8	74.0	70.8	60.7	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	78.4	-	-	50.6	59.7	62.2	69.6	72.8	74.0	70.8	60.7	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	78.4	-	-	50.6	59.7	62.2	69.6	72.8	74.0	70.8	60.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	78.4		1.00		0.12070		-19.97		-20.0	
	Evening (4h)		4.00	Evening	78.4		1.00		0.04641		-19.35		-19.4	
	Night (8h)		8.00	Night	78.4		1.00		0.00910		-29.44		-29.4	
LQCN013	Label		Ķīmija un ar būvniecību saistītas piegād				Action radius/m				99999.00			
	Group		Ķīmija un ar būvniecību saistītas piegād				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		4				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		119.09				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		119.08				Lw' (Day (12h)) /dB(A)				83.04			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				83.04			
							Lw' (Evening (4h)) /dB(A)				83.04			

							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	83.0		1.00		0.00487		-33.92		-33.9	
	Evening (4h)		4.00	Evening	83.0		1.00		0.00035		-40.58		-40.6	
	Night (8h)		8.00	Night	83.0		1.00		0.00001		-59.03		-59.0	
LQCN014	Label		Ķīmija un ar būvniecību saistītas piegād				Action radius/m				99999.00			
	Group		Ķīmija un ar būvniecību saistītas piegād				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		57				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		1108.22				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		1108.15				Lw' (Day (12h)) /dB(A)				73.35			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				73.35			
							Lw' (Evening (4h)) /dB(A)				73.35			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	73.4		1.00		0.02266		-27.24		-27.2	
	Evening (4h)		4.00	Evening	73.4		1.00		0.00081		-36.94		-36.9	
	Night (8h)		8.00	Night	73.4		1.00		0.00001		-59.03		-59.0	
LQCN022	Label		PIEGĀDE				Action radius/m				99999.00			
	Group		Gatavā produkcija				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		2				Lw (Night (8h)) /dB(A)				103.80			

	Length/ m	7.13	Lw (Evening (4h)) /dB(A)				103.80							
	Length/ m (2D)	7.13	Lw' (Day (12h)) /dB(A)				95.27							
	Area /m²	---	Lw' (Night (8h)) /dB(A)				95.27							
			Lw' (Evening (4h)) /dB(A)				95.27							
			Emission is				Sound power level (Lw)							
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	95.3	-	-	67.5	76.6	79.1	86.5	89.7	90.9	87.7	77.6	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	95.3	-	-	67.5	76.6	79.1	86.5	89.7	90.9	87.7	77.6	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	95.3	-	-	67.5	76.6	79.1	86.5	89.7	90.9	87.7	77.6	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)		n times		Impact time /h		dLi /dB		Lw"r /dB(A)	
	Day (12h)		12.00	Day	95.3		1.00		0.16185		-18.70		-18.7	
	Evening (4h)		4.00	Evening	95.3		1.00		0.04676		-19.32		-19.3	
	Night (8h)		8.00	Night	95.3		1.00		0.00911		-29.44		-29.4	

Area source /CNOSSOS (64)											Esoša	
FQCN078	Label	šķeldotāja darba laukums			Action radius/m			99999.00				
	Group	šķeldotājs_F			Emission is			Sound power level (Lw)				
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"		
	Length/ m	272.69				dB(A)	dB	dB	dB(A)	dB(A)		
	Length/ m (2D)	272.69			Day (12h)	126.40	-	-	126.40	89.74		
	Area /m²	4633.66			Night (8h)	0.00	-	-	0.00	-36.66		
					Evening (4h)	0.00	-	-	0.00	-36.66		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0	0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times		Impact time /h		dLi /dB		Lw"r /dB(A)	
	Day (12h)	12.00	Day	89.7	1.00		8.40000		-1.55		-1.5	
	Evening (4h)	4.00	Evening	-36.7	1.00		0.00000		-99.00		-	
	Night (8h)	8.00	Night	-36.7	1.00		0.00000		-99.00		-	
FQCN060	Label	Volvo iekrāvējs 24/7 + 2 kravas mašīnas + MAN			Action radius/m			99999.00				
	Group	zaļš m esoša			Emission is			Sound power level (Lw)				
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"		
	Length/ m	340.96				dB(A)	dB	dB	dB(A)	dB(A)		
	Length/ m (2D)	340.96			Day (12h)	99.20	-	-	99.20	61.17		

	Area /m²	6352.14		Night (8h)	99.20	-	-	99.20	61.17
				Evening (4h)	99.20	-	-	99.20	61.17
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	61.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	61.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	61.2	1.00	8.00000	0.00	0.0	
FQCN061	Label	Volvo iekrāvējs 24/7 + 2 kravas mašīnas + MAN			Action radius/m			99999.00	
	Group	zaļš esoša			Emission is			Sound power level (Lw)	
	Number of nodes	17			Emi. variant	Emission	Sound insul.	Correction	Lw
	Length/ m	888.19				dB(A)	dB	dB	dB(A)
	Length/ m (2D)	888.19			Day (12h)	106.90	-	-	106.90
	Area /m²	37944.14			Night (8h)	106.90	-	-	106.90
					Evening (4h)	106.90	-	-	106.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	61.1	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	61.1	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	61.1	1.00	8.00000	0.00	0.0	
FQCN062	Label	1 volvo + 2 kravas + MAN (esoša)			Action radius/m			99999.00	
	Group	violeta (esoša)			Emission is			Sound power level (Lw)	
	Number of nodes	17			Emi. variant	Emission	Sound insul.	Correction	Lw
	Length/ m	1412.79				dB(A)	dB	dB	dB(A)
	Length/ m (2D)	1412.78			Day (12h)	107.80	-	-	107.80
	Area /m²	68055.04			Night (8h)	107.80	-	-	107.80
					Evening (4h)	107.80	-	-	107.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	59.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	59.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	59.5	1.00	8.00000	0.00	0.0	
FQCN001	Label	Pneimotransporta sistēmas izvadi/ziemeļi			Action radius/m			99999.00	
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)	
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw
	Length/ m	49.34				dB(A)	dB	dB	dB(A)

	Length/ m (2D)	38.34			Day (12h)	86.90	-	-	107.13	86.90
	Area /m²	105.42			Night (8h)	86.90	-	-	107.13	86.90
					Evening (4h)	86.90	-	-	107.13	86.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	86.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	86.9	1.00	8.00000		0.00	0.0	
FQCN002	Label	Pneimotransporta sistēmas izvadi/austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	22.14				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	11.14			Day (12h)	81.30	-	-	96.16	81.30
	Area /m²	30.63			Night (8h)	81.30	-	-	96.16	81.30
					Evening (4h)	81.30	-	-	96.16	81.30
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	81.3	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	81.3	1.00	8.00000		0.00	0.0	
FQCN003	Label	Pneimotransporta sistēmas izvadi/dienvidi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	49.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	38.63			Day (12h)	86.90	-	-	107.16	86.90
	Area /m²	106.23			Night (8h)	86.90	-	-	107.16	86.90
					Evening (4h)	86.90	-	-	107.16	86.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	86.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	86.9	1.00	8.00000		0.00	0.0	
FQCN004	Label	Pneimotransporta sistēmas izvadi/rietumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"



	Length/ m	22.03				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	11.03			Day (12h)	81.30	-	-	96.12	81.30	
	Area /m²	30.33			Night (8h)	81.30	-	-	96.12	81.30	
					Evening (4h)	81.30	-	-	96.12	81.30	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0	0.0	0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	81.3	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	81.3	1.00	8.00000	0.00			0.0	
FQCN005	Label	Pneimotransporta sistēmas izvadi/avgša			Action radius/m						99999.00
	Group	stacionari avoti			Emission is						SPL per unit area (Lw/m²)
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m	49.57				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	49.57			Day (12h)	86.40	-	-	106.68	86.40	
	Area /m²	106.63			Night (8h)	86.40	-	-	106.68	86.40	
					Evening (4h)	86.40	-	-	106.68	86.40	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0	0.0	0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	86.4	1.00	8.00000	0.00			0.0	
FQCN006	Label	Pneimotransporta sistēmas izvadi/apakša			Action radius/m						99999.00
	Group	stacionari avoti			Emission is						SPL per unit area (Lw/m²)
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m	49.57				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	49.57			Day (12h)	81.30	-	-	101.58	81.30	
	Area /m²	106.63			Night (8h)	81.30	-	-	101.58	81.30	
					Evening (4h)	81.30	-	-	101.58	81.30	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0	0.0	0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	12.00000	0.00			0.0	
	Evening (4h)	4.00	Evening	81.3	1.00	4.00000	0.00			0.0	
	Night (8h)	8.00	Night	81.3	1.00	8.00000	0.00			0.0	
FQCN007	Label	Koksnes atkritumu reģenerācijas līnija/ziemeļi			Action radius/m						99999.00
	Group	stacionari avoti			Emission is						SPL per unit area (Lw/m²)

	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	83.82			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.42		Day (12h)	85.60	-	-	111.62	85.60
	Area /m²	399.97		Night (8h)	85.60	-	-	111.62	85.60
				Evening (4h)	85.60	-	-	111.62	85.60
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0			-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	85.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	85.6	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	85.6	1.00	8.00000	0.00	0.0	
FQCN008	Label	Koksnes atkritumu reģenerācijas līnija/austumi		Action radius/m		99999.00			
	Group	stacionari avoti		Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	83.63			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.23		Day (12h)	88.00	-	-	114.00	88.00
	Area /m²	398.56		Night (8h)	88.00	-	-	114.00	88.00
				Evening (4h)	88.00	-	-	114.00	88.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0			-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	88.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	88.0	1.00	8.00000	0.00	0.0	
FQCN009	Label	Koksnes atkritumu reģenerācijas līnija/dienvīdi		Action radius/m		99999.00			
	Group	stacionari avoti		Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	84.74			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	55.34		Day (12h)	84.00	-	-	110.09	84.00
	Area /m²	406.72		Night (8h)	84.00	-	-	110.09	84.00
				Evening (4h)	84.00	-	-	110.09	84.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0			-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	84.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	84.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	84.0	1.00	8.00000	0.00	0.0	
FQCN010	Label	Koksnes atkritumu reģenerācijas līnija/rietumi		Action radius/m		99999.00			

	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	83.87			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.47		Day (12h)	82.10	-	-	108.12	82.10
	Area /m²	400.37		Night (8h)	82.10	-	-	108.12	82.10
				Evening (4h)	82.10	-	-	108.12	82.10
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	82.1	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.1	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	82.1	1.00	8.00000	0.00	0.0	
FQCN012	Label	C30 RIETUMI		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	11.88			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1.88		Day (12h)	85.60	-	-	92.31	85.60
	Area /m²	4.69		Night (8h)	85.60	-	-	92.31	85.60
				Evening (4h)	85.60	-	-	92.31	85.60
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	85.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	85.6	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	85.6	1.00	8.00000	0.00	0.0	
FQCN013	Label	C30 ZIEMEĽI		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	13.05			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	3.05		Day (12h)	90.00	-	-	98.82	90.00
	Area /m²	7.62		Night (8h)	90.00	-	-	98.82	90.00
				Evening (4h)	90.00	-	-	98.82	90.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	90.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	90.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	90.0	1.00	8.00000	0.00	0.0	

FQCN014	Label	C30 AUSTRUMI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	11.88				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1.88			Day (12h)	87.80	-	-	94.51	87.80
	Area /m²	4.69			Night (8h)	87.80	-	-	94.51	87.80
					Evening (4h)	87.80	-	-	94.51	87.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	87.8	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	87.8	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	87.8	1.00	8.00000	0.00	0.0		
FQCN015	Label	C30 DIENVIDI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	13.05				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	3.05			Day (12h)	88.90	-	-	97.72	88.90
	Area /m²	7.62			Night (8h)	88.90	-	-	97.72	88.90
					Evening (4h)	88.90	-	-	97.72	88.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	88.9	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	88.9	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	88.9	1.00	8.00000	0.00	0.0		
FQCN016	Label	C30 AUGŠA			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	4.92				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	4.92			Day (12h)	88.40	-	-	89.95	88.40
	Area /m²	1.43			Night (8h)	88.40	-	-	89.95	88.40
					Evening (4h)	88.40	-	-	89.95	88.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	88.4	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	88.4	1.00	4.00000	0.00	0.0		

	Night (8h)	8.00	Night	88.4	1.00	8.00000	0.00	0.0		
FQCN017	Label	Biomosas kurtuve Ness/austrumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	82.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	42.00			Day (12h)	77.80	-	-	104.03	77.80
	Area /m²	420.00			Night (8h)	77.80	-	-	104.03	77.80
					Evening (4h)	77.80	-	-	104.03	77.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	77.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	77.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	77.8	1.00	8.00000		0.00	0.0	
FQCN018	Label	Biomosas kurtuve Ness/dienvidi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	86.85				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	46.85			Day (12h)	72.00	-	-	98.71	72.00
	Area /m²	468.54			Night (8h)	72.00	-	-	98.71	72.00
					Evening (4h)	72.00	-	-	98.71	72.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	72.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	72.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	72.0	1.00	8.00000		0.00	0.0	
FQCN019	Label	Biomosas kurtuve Ness/rietumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	82.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	42.00			Day (12h)	75.60	-	-	101.83	75.60
	Area /m²	420.00			Night (8h)	75.60	-	-	101.83	75.60
					Evening (4h)	75.60	-	-	101.83	75.60
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.6	1.00	12.00000		0.00	0.0	

	Evening (4h)	4.00	Evening	75.6	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	75.6	1.00	8.00000	0.00	0.0		
FQCN020	Label	Biomosas kurtuve Ness/ziemeļi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	86.88				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	46.88			Day (12h)	70.50	-	-	97.21	70.50
	Area /m²	468.76			Night (8h)	70.50	-	-	97.21	70.50
					Evening (4h)	70.50	-	-	97.21	70.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	70.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	70.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	70.5	1.00	8.00000		0.00	0.0	
FQCN022	Label	Pneimotransporta sistēmu izvadi/dienvidi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	48.86				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	12.86			Day (12h)	88.00	-	-	108.63	88.00
	Area /m²	115.72			Night (8h)	88.00	-	-	108.63	88.00
					Evening (4h)	88.00	-	-	108.63	88.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	88.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	88.0	1.00	8.00000		0.00	0.0	
FQCN023	Label	Pneimotransporta sistēmu izvadi/rieturmi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	70.22				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	34.22			Day (12h)	87.00	-	-	111.89	87.00
	Area /m²	307.99			Night (8h)	87.00	-	-	111.89	87.00
					Evening (4h)	87.00	-	-	111.89	87.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	

	Day (12h)	12.00	Day	87.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	87.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	87.0	1.00	8.00000	0.00	0.0		
FQCN024	Label	Pneimotransporta sistēmu izvadī/ziemeļi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	49.47				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	13.47			Day (12h)	87.00	-	-	107.84	87.00
	Area /m²	121.27			Night (8h)	87.00	-	-	107.84	87.00
					Evening (4h)	87.00	-	-	107.84	87.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	87.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	87.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	87.0	1.00	8.00000		0.00	0.0	
FQCN025	Label	Pneimotransporta sistēmu izvadī/augša			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	47.64				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	47.64			Day (12h)	86.40	-	-	106.95	86.40
	Area /m²	113.42			Night (8h)	86.40	-	-	106.95	86.40
					Evening (4h)	86.40	-	-	106.95	86.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.4	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	86.4	1.00	8.00000		0.00	0.0	
FQCN026	Label	Objekts Nr.17/rietumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	32.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	14.00			Day (12h)	85.20	-	-	103.19	85.20
	Area /m²	63.00			Night (8h)	85.20	-	-	103.19	85.20
					Evening (4h)	85.20	-	-	103.19	85.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0			0.0

	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	85.2	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	85.2	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	85.2	1.00	8.00000	0.00	0.0		
FQCN027	Label	Objekts Nr.17/austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw
	Length/ m	32.13				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	14.13			Day (12h)	87.50	-	-	105.53	87.50
	Area /m²	63.60			Night (8h)	87.50	-	-	105.53	87.50
					Evening (4h)	87.50	-	-	105.53	87.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	87.5	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	87.5	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	87.5	1.00	8.00000	0.00	0.0		
FQCN028	Label	Objekts Nr.17/auģa			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	103.76				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	103.76			Day (12h)	86.40	-	-	111.39	86.40
	Area /m²	315.42			Night (8h)	86.40	-	-	111.39	86.40
					Evening (4h)	86.40	-	-	111.39	86.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	86.4	1.00	8.00000	0.00	0.0		
FQCN029	Label	Objekts Nr.17/ziemeļi_M			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	41.22				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	23.22			Day (12h)	89.00	-	-	109.19	89.00
	Area /m²	104.50			Night (8h)	89.00	-	-	109.19	89.00
					Evening (4h)	89.00	-	-	109.19	89.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB



	Lden		-	0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	89.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	89.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	89.0	1.00	8.00000	0.00	0.0		
FQCN030	Label	Objekts Nr.17/ziemeļi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	84.36				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	66.36			Day (12h)	82.10	-	-	106.85	82.10
	Area /m²	298.63			Night (8h)	82.10	-	-	106.85	82.10
					Evening (4h)	82.10	-	-	106.85	82.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	82.1	1.00	12.00000	0.00			0.0
	Evening (4h)	4.00	Evening	82.1	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	82.1	1.00	8.00000	0.00			0.0
FQCN031	Label	Pneimotransporta sistēmas izejas/ziemeļi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	45.99				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	35.99			Day (12h)	81.80	-	-	101.34	81.80
	Area /m²	89.98			Night (8h)	81.80	-	-	101.34	81.80
					Evening (4h)	81.80	-	-	101.34	81.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	81.8	1.00	12.00000	0.00			0.0
	Evening (4h)	4.00	Evening	81.8	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	81.8	1.00	8.00000	0.00			0.0
FQCN032	Label	Pneimotransporta sistēmas izejas/austrumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	26.36				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	16.36			Day (12h)	83.30	-	-	99.42	83.30
	Area /m²	40.89			Night (8h)	83.30	-	-	99.42	83.30
					Evening (4h)	83.30	-	-	99.42	83.30

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)
	Day (12h)	12.00	Day	83.3	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	83.3	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	83.3	1.00	8.00000	0.00	0.0
FQCN033	Label	Pneimotransporta sistēmas izejas/dienvidi			Action radius/m		99999.00	
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)	
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction
	Length/ m	46.13				dB(A)	dB	dB
	Length/ m (2D)	36.13			Day (12h)	82.00	-	-
	Area /m²	90.31			Night (8h)	82.00	-	-
					Evening (4h)	82.00	-	-
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)
	Day (12h)	12.00	Day	82.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	82.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	82.0	1.00	8.00000	0.00	0.0
FQCN034	Label	Pneimotransporta sistēmas izejas/retumi			Action radius/m		99999.00	
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)	
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction
	Length/ m	26.35				dB(A)	dB	dB
	Length/ m (2D)	16.35			Day (12h)	78.20	-	-
	Area /m²	40.89			Night (8h)	78.20	-	-
					Evening (4h)	78.20	-	-
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)
	Day (12h)	12.00	Day	78.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	78.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	78.2	1.00	8.00000	0.00	0.0
FQCN035	Label	Pneimotransporta sistēmas izejas/avgša			Action radius/m		99999.00	
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)	
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction
	Length/ m	52.41				dB(A)	dB	dB
	Length/ m (2D)	52.41			Day (12h)	83.00	-	-
	Area /m²	147.34			Night (8h)	83.00	-	-

				Evening (4h)	83.00	-	-	104.68	83.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	83.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	83.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	83.0	1.00	8.00000	0.00	0.0	
FQCN036	Label	Objekts Nr.18/AUGŠA		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	7		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	511.48			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	511.48		Day (12h)	65.30	-	-	107.38	65.30
	Area /m²	16139.58		Night (8h)	65.30	-	-	107.38	65.30
				Evening (4h)	65.30	-	-	107.38	65.30
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	65.3	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	65.3	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	65.3	1.00	8.00000	0.00	0.0	
FQCN037	Label	Objekts Nr.18/ZIEMEĻ_M		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	102.07			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	88.07		Day (12h)	75.50	-	-	100.39	75.50
	Area /m²	308.25		Night (8h)	75.50	-	-	100.39	75.50
				Evening (4h)	75.50	-	-	100.39	75.50
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	75.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.5	1.00	8.00000	0.00	0.0	
FQCN038	Label	Objekts Nr.18/AUSTRUMI		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	196.93			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	182.93		Day (12h)	80.00	-	-	108.06	80.00

	Area /m²	640.26			Night (8h)	80.00	-	-	108.06	80.00
					Evening (4h)	80.00	-	-	108.06	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000		0.00	0.0	
FQCN039	Label	Objekts Nr.18/AUSTRUMI_m			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	6			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	58.60				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	44.60			Day (12h)	75.00	-	-	96.93	75.00
	Area /m²	156.10			Night (8h)	75.00	-	-	96.93	75.00
					Evening (4h)	75.00	-	-	96.93	75.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	75.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	75.0	1.00	8.00000		0.00	0.0	
FQCN040	Label	Objekts Nr.18/ZIEMEĻI_M2			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	41.06				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	27.06			Day (12h)	75.50	-	-	95.26	75.50
	Area /m²	94.70			Night (8h)	75.50	-	-	95.26	75.50
					Evening (4h)	75.50	-	-	95.26	75.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	75.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	75.5	1.00	8.00000		0.00	0.0	
FQCN041	Label	Objekts Nr.18/ZIEMEĻI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	182.66				dB(A)	dB	dB	dB(A)	dB(A)

	Length/ m (2D)	168.66			Day (12h)	79.90	-	-	107.61	79.90
	Area /m²	590.31			Night (8h)	79.90	-	-	107.61	79.90
					Evening (4h)	79.90	-	-	107.61	79.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	79.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	79.9	1.00	8.00000		0.00	0.0	
FQCN042	Label	Objekts Nr.18/RIETUMI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	163.13				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	149.13			Day (12h)	77.10	-	-	104.28	77.10
	Area /m²	521.97			Night (8h)	77.10	-	-	104.28	77.10
					Evening (4h)	77.10	-	-	104.28	77.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	77.1	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	77.1	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	77.1	1.00	8.00000		0.00	0.0	
FQCN043	Label	Objekts Nr.18/RIETUMI_M			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	90.80				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	76.80			Day (12h)	82.50	-	-	106.79	82.50
	Area /m²	268.79			Night (8h)	82.50	-	-	106.79	82.50
					Evening (4h)	82.50	-	-	106.79	82.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	82.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	82.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	82.5	1.00	8.00000		0.00	0.0	
FQCN044	Label	Objekts Nr.18/DIENVIDI_MK			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"

	Length/ m	47.37				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	33.37			Day (12h)	78.00	-	-	98.67	78.00
	Area /m²	116.79			Night (8h)	78.00	-	-	98.67	78.00
					Evening (4h)	78.00	-	-	98.67	78.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	78.0	1.00	12.00000	0.00			0.0
	Evening (4h)	4.00	Evening	78.0	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	78.0	1.00	8.00000	0.00			0.0
FQCN045	Label	Objekts Nr.18/DIENVIDI_L			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	233.53				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	219.53			Day (12h)	85.70	-	-	114.56	85.70
	Area /m²	768.35			Night (8h)	85.70	-	-	114.56	85.70
					Evening (4h)	85.70	-	-	114.56	85.70
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	85.7	1.00	12.00000	0.00			0.0
	Evening (4h)	4.00	Evening	85.7	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	85.7	1.00	8.00000	0.00			0.0
FQCN046	Label	Objekts Nr.18/DIENVIDI-ML			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	46.81				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	32.81			Day (12h)	81.40	-	-	102.00	81.40
	Area /m²	114.85			Night (8h)	81.40	-	-	102.00	81.40
					Evening (4h)	81.40	-	-	102.00	81.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	81.4	1.00	12.00000	0.00			0.0
	Evening (4h)	4.00	Evening	81.4	1.00	4.00000	0.00			0.0
	Night (8h)	8.00	Night	81.4	1.00	8.00000	0.00			0.0
FQCN047	Label	KSP rietumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		

	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	124.80			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	94.80		Day (12h)	79.50	-	-	108.02	79.50
	Area /m²	710.97		Night (8h)	79.50	-	-	108.02	79.50
				Evening (4h)	79.50	-	-	108.02	79.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	79.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	79.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	79.5	1.00	8.00000	0.00	0.0	
FQCN048	Label	KSP augša			Action radius/m		99999.00		
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	292.12			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	292.12		Day (12h)	73.20	-	-	109.90	73.20
	Area /m²	4676.94		Night (8h)	73.20	-	-	109.90	73.20
				Evening (4h)	73.20	-	-	109.90	73.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	73.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	73.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00	0.0	
FQCN049	Label	KSP ziemeļi			Action radius/m		99999.00		
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	111.17			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	81.17		Day (12h)	75.20	-	-	103.04	75.20
	Area /m²	608.80		Night (8h)	75.20	-	-	103.04	75.20
				Evening (4h)	75.20	-	-	103.04	75.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	75.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.2	1.00	8.00000	0.00	0.0	
FQCN050	Label	KSP ziemeļi			Action radius/m		99999.00		

	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	146.22			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	116.22		Day (12h)	80.00	-	-	109.40	80.00
	Area /m²	871.67		Night (8h)	80.00	-	-	109.40	80.00
				Evening (4h)	80.00	-	-	109.40	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000	0.00	0.0	
FQCN051	Label	KSP dienvidi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	150.03			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	120.03		Day (12h)	83.20	-	-	112.74	83.20
	Area /m²	900.22		Night (8h)	83.20	-	-	112.74	83.20
				Evening (4h)	83.20	-	-	112.74	83.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	83.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	83.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	83.2	1.00	8.00000	0.00	0.0	
FQCN052	Label	KSP dienvidi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	63.42			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	33.42		Day (12h)	88.90	-	-	112.89	88.90
	Area /m²	250.65		Night (8h)	88.90	-	-	112.89	88.90
				Evening (4h)	88.90	-	-	112.89	88.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.9	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	88.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	88.9	1.00	8.00000	0.00	0.0	



FQCN053	Label	KSP dienvidi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	73.75			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	43.75		Day (12h)	0.00	-	-	25.16	0.00
	Area /m²	328.16		Night (8h)	0.00	-	-	25.16	0.00
				Evening (4h)	0.00	-	-	25.16	0.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	0.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	0.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	0.0	1.00	8.00000	0.00	0.0	
FQCN054	Label	KSP austrumi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	41.19			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	11.19		Day (12h)	80.00	-	-	99.24	80.00
	Area /m²	83.93		Night (8h)	80.00	-	-	99.24	80.00
				Evening (4h)	80.00	-	-	99.24	80.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000	0.00	0.0	
FQCN055	Label	KSP austrumi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	70.97			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	40.97		Day (12h)	81.00	-	-	105.88	81.00
	Area /m²	307.30		Night (8h)	81.00	-	-	105.88	81.00
				Evening (4h)	81.00	-	-	105.88	81.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	81.0	1.00	4.00000	0.00	0.0	

	Night (8h)	8.00	Night	81.0	1.00	8.00000	0.00	0.0		
FQCN056	Label	KSP austrumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	46.51				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	16.51			Day (12h)	80.00	-	-	100.93	80.00
	Area /m²	123.83			Night (8h)	79.00	-	-	99.93	79.00
					Evening (4h)	79.00	-	-	99.93	79.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	79.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	79.0	1.00	8.00000		0.00	0.0	
FQCN057	Label	KSP austrumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	56.17				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	26.17			Day (12h)	80.00	-	-	102.93	80.00
	Area /m²	196.30			Night (8h)	80.00	-	-	102.93	80.00
					Evening (4h)	80.00	-	-	102.93	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000		0.00	0.0	
FQCN069	Label	Koksnes atkritumu reģenerācijas līnija/augša			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	109.23				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	109.23			Day (12h)	79.10	-	-	107.82	79.10
	Area /m²	745.48			Night (8h)	79.10	-	-	107.82	79.10
					Evening (4h)	79.10	-	-	107.82	79.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	79.1	1.00	12.00000		0.00	0.0	

	Evening (4h)	4.00	Evening	79.1	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	79.1	1.00	8.00000	0.00	0.0		
FQCN070	Label	Biomosas kurtuve Ness/auģša			Action radius/m		99999.00			
	Group	stacionāri avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	88.86				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	88.86			Day (12h)	68.20	-	-	95.12	68.20
	Area /m²	492.08			Night (8h)	68.20	-	-	95.12	68.20
					Evening (4h)	68.20	-	-	95.12	68.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	68.2	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	68.2	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	68.2	1.00	8.00000		0.00	0.0	
FQCN058	Label	Tehnoloģiskā cikla sākuma laukums			Action radius/m		99999.00			
	Group	oranzs esosa			Emission is		Sound power level (Lw)			
	Number of nodes	9			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	484.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	484.00			Day (12h)	105.30	-	-	105.30	63.65
	Area /m²	14611.26			Night (8h)	105.30	-	-	105.30	63.65
					Evening (4h)	105.30	-	-	105.30	63.65
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	63.7	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	63.7	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	63.7	1.00	8.00000		0.00	0.0	
FQCN064	Label	2 kravas mašīnas (esoša)			Action radius/m		99999.00			
	Group	dzeltens (esoša)			Emission is		Sound power level (Lw)			
	Number of nodes	7			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	694.10				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	694.09			Day (12h)	99.70	-	-	99.70	56.09
	Area /m²	22985.75			Night (8h)	99.70	-	-	99.70	56.09
					Evening (4h)	99.70	-	-	99.70	56.09
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	

	Day (12h)	12.00	Day	56.1	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	56.1	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	56.1	1.00	8.00000	0.00	0.0		
FQCN077	Label	drupinātāju darba laukums			Action radius/m		99999.00			
	Group	drupinatajs			Emission is		Sound power level (Lw)			
	Number of nodes	6			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	760.46				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	760.45			Day (12h)	114.00	-	-	114.00	68.51
	Area /m²	35399.13			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB	
	Lden			- 0.0	0.0		0.0		- 0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times		Impact time /h		dLi /dB	Lw"r /dB(A)
	Day (12h)	12.00	Day	68.5	1.00		8.40000		-1.55	-1.5
	Evening (4h)	4.00	Evening	-	1.00		0.00000		-99.00	-
	Night (8h)	8.00	Night	-	1.00		0.00000		-99.00	-

Railway /SRM II (NL) (12)										Esoša
SCHt001	Label		Dzelzceļš esoša			Action radius/m		99999.00		
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		88.57		
	Number of nodes		6			Lw (Night (8h)) /dB(A)		88.57		
	Length/ m		77.56			Lw (Evening (4h)) /dB(A)		88.57		
	Length/ m (2D)		77.55							
	Area /m²		---							
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed				
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00		0.22	0.00	20.00	No correction	88.57	
	Night (8h)	Cat. 4	0.00		0.22	0.00	20.00	No correction	88.57	
	Evening (4h)	Cat. 4	0.00		0.22	0.00	20.00	No correction	88.57	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden				- 0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)		12.00	Day	88.6	1.00	12.00000	0.00	0.0	
	Evening (4h)		4.00	Evening	88.6	1.00	4.00000	0.00	0.0	
	Night (8h)		8.00	Night	88.6	1.00	8.00000	0.00	0.0	
SCHt002	Label		Dzelzceļš esoša			Action radius/m		99999.00		
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		85.56		
	Number of nodes		19			Lw (Night (8h)) /dB(A)		85.56		

	Length/ m		552.15		Lw (Evening (4h)) /dB(A)		85.56	
	Length/ m (2D)		552.15					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00	0.11	0.00	20.00	No correction	85.56
	Night (8h)	Cat. 4	0.00	0.11	0.00	20.00	No correction	85.56
	Evening (4h)	Cat. 4	0.00	0.11	0.00	20.00	No correction	85.56
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	85.6	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	85.6	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	85.6	1.00	8.00000	0.00 0.0
SCHt003	Label		Dzelzceļš esoša			Action radius/m		99999.00
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		88.57
	Number of nodes		36			Lw (Night (8h)) /dB(A)		88.57
	Length/ m		379.13			Lw (Evening (4h)) /dB(A)		88.57
	Length/ m (2D)		379.08					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00	0.22	0.00	20.00	No correction	88.57
	Night (8h)	Cat. 4	0.00	0.22	0.00	20.00	No correction	88.57
	Evening (4h)	Cat. 4	0.00	0.22	0.00	20.00	No correction	88.57
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	88.6	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	88.6	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	88.6	1.00	8.00000	0.00 0.0
SCHt004	Label		Dzelzceļš esoša			Action radius/m		99999.00
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		85.56
	Number of nodes		35			Lw (Night (8h)) /dB(A)		85.56
	Length/ m		552.64			Lw (Evening (4h)) /dB(A)		85.56
	Length/ m (2D)		552.64					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			

	Emiss. variant	Category	Qc /h		Qr,c /h		vc /km/h		vr,c /km/h		Roughness		LE /dB(A)				
	Day (12h)	Cat. 4	0.00		0.11		0.00		20.00		No correction		85.56				
	Night (8h)	Cat. 4	0.00		0.11		0.00		20.00		No correction		85.56				
	Evening (4h)	Cat. 4	0.00		0.11		0.00		20.00		No correction		85.56				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)				
	Day (12h)		12.00	Day	85.6		1.00		12.00000		0.00		0.0				
	Evening (4h)		4.00	Evening	85.6		1.00		4.00000		0.00		0.0				
	Night (8h)		8.00	Night	85.6		1.00		8.00000		0.00		0.0				
SCHt005	Label		Dzelzceļš esoša					Action radius/m					99999.00				
	Group		dz_esoša					Lw (Day (12h)) /dB(A)					78.16				
	Number of nodes		24					Lw (Night (8h)) /dB(A)					78.16				
	Length/ m		185.21					Lw (Evening (4h)) /dB(A)					78.16				
	Length/ m (2D)		185.18														
	Area /m²		---														
	Track base							bb= 1: concrete single- or twin-block sleepers in ballastbed									
	Emiss. variant	Category	Qc /h		Qr,c /h		vc /km/h		vr,c /km/h		Roughness		LE /dB(A)				
	Day (12h)	Cat. 4	0.00		0.02		0.00		20.00		No correction		78.16				
	Night (8h)	Cat. 4	0.00		0.02		0.00		20.00		No correction		78.16				
	Evening (4h)	Cat. 4	0.00		0.02		0.00		20.00		No correction		78.16				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)				
	Day (12h)		12.00	Day	78.2		1.00		12.00000		0.00		0.0				
	Evening (4h)		4.00	Evening	78.2		1.00		4.00000		0.00		0.0				
	Night (8h)		8.00	Night	78.2		1.00		8.00000		0.00		0.0				
SCHt006	Label		Dzelzceļš esoša					Action radius/m					99999.00				
	Group		dz_esoša					Lw (Day (12h)) /dB(A)					75.15				
	Number of nodes		10					Lw (Night (8h)) /dB(A)					75.15				
	Length/ m		58.65					Lw (Evening (4h)) /dB(A)					75.15				
	Length/ m (2D)		58.65														
	Area /m²		---														
	Track base							bb= 1: concrete single- or twin-block sleepers in ballastbed									
	Emiss. variant	Category	Qc /h		Qr,c /h		vc /km/h		vr,c /km/h		Roughness		LE /dB(A)				
	Day (12h)	Cat. 4	0.00		0.01		0.00		20.00		No correction		75.15				
	Night (8h)	Cat. 4	0.00		0.01		0.00		20.00		No correction		75.15				
	Evening (4h)	Cat. 4	0.00		0.01		0.00		20.00		No correction		75.15				

	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	75.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	75.1	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	75.1	1.00	8.00000	0.00	0.0
SCHt007	Label		Dzelzceļš esoša			Action radius/m		99999.00	
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		75.15	
	Number of nodes		14			Lw (Night (8h)) /dB(A)		75.15	
	Length/ m		107.35			Lw (Evening (4h)) /dB(A)		75.15	
	Length/ m (2D)		107.35						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.01	0.00	20.00	No correction	75.15
	Night (8h)	Cat. 4	0.00		0.01	0.00	20.00	No correction	75.15
	Evening (4h)	Cat. 4	0.00		0.01	0.00	20.00	No correction	75.15
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	75.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	75.1	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	75.1	1.00	8.00000	0.00	0.0
SCHt008	Label		Dzelzceļš esoša			Action radius/m		99999.00	
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		78.16	
	Number of nodes		12			Lw (Night (8h)) /dB(A)		78.16	
	Length/ m		446.69			Lw (Evening (4h)) /dB(A)		78.16	
	Length/ m (2D)		446.69						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.02	0.00	20.00	No correction	78.16
	Night (8h)	Cat. 4	0.00		0.02	0.00	20.00	No correction	78.16
	Evening (4h)	Cat. 4	0.00		0.02	0.00	20.00	No correction	78.16
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	78.2	1.00	12.00000	0.00	0.0

	Evening (4h)		4.00	Evening	78.2	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	78.2	1.00	8.00000	0.00	0.0
SCHt009	Label		Dzelzceļš esoša			Action radius/m		99999.00	
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		75.15	
	Number of nodes		20			Lw (Night (8h)) /dB(A)		75.15	
	Length/ m		312.79			Lw (Evening (4h)) /dB(A)		75.15	
	Length/ m (2D)		312.79						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.01	0.00	20.00	No correction	75.15
	Night (8h)	Cat. 4	0.00		0.01	0.00	20.00	No correction	75.15
	Evening (4h)	Cat. 4	0.00		0.01	0.00	20.00	No correction	75.15
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	75.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	75.1	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	75.1	1.00	8.00000	0.00	0.0
SCHt022	Label		Dzelzceļš esoša**			Action radius/m		99999.00	
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		89.13	
	Number of nodes		30			Lw (Night (8h)) /dB(A)		89.13	
	Length/ m		247.60			Lw (Evening (4h)) /dB(A)		89.13	
	Length/ m (2D)		247.59						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.25	0.00	20.00	No correction	89.13
	Night (8h)	Cat. 4	0.00		0.25	0.00	20.00	No correction	89.13
	Evening (4h)	Cat. 4	0.00		0.25	0.00	20.00	No correction	89.13
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	89.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	89.1	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	89.1	1.00	8.00000	0.00	0.0
SCHt021	Label		Dzelzceļš esoša*			Action radius/m		99999.00	
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		89.13	



	Number of nodes		3		Lw (Night (8h)) /dB(A)		89.13	
	Length/ m		18.70		Lw (Evening (4h)) /dB(A)		89.13	
	Length/ m (2D)		18.69					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00	0.25	0.00	20.00	No correction	89.13
	Night (8h)	Cat. 4	0.00	0.25	0.00	20.00	No correction	89.13
	Evening (4h)	Cat. 4	0.00	0.25	0.00	20.00	No correction	89.13
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	89.1	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	89.1	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	89.1	1.00	8.00000	0.00 0.0
SCHt010	Label		Dzelzceļš esoša			Action radius/m		99999.00
	Group		dz_esoša			Lw (Day (12h)) /dB(A)		89.13
	Number of nodes		13			Lw (Night (8h)) /dB(A)		89.13
	Length/ m		122.75			Lw (Evening (4h)) /dB(A)		89.13
	Length/ m (2D)		122.74					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00	0.25	0.00	20.00	No correction	89.13
	Night (8h)	Cat. 4	0.00	0.25	0.00	20.00	No correction	89.13
	Evening (4h)	Cat. 4	0.00	0.25	0.00	20.00	No correction	89.13
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	89.1	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	89.1	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	89.1	1.00	8.00000	0.00 0.0

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

## PLĀNOTA SITUĀCIJA

Point-source /CNOSSO (4)										Plānota darbība
EQCN001	Label	Ventilators		Action radius/m			99999.00			
	Group	Pneimotransporta sistēmas izvadi		Emission is			Sound power level (Lw)			
	Number of nodes	1		Emi. variant	Emission	Sound insul.	Correction	Lw		
	Length/ m	---			dB(A)	dB	dB	dB(A)		
	Length/ m (2D)	---		Day (12h)	97.00	-	-	97.00		
	Area /m²	---		Night (8h)	97.00	-	-	97.00		
				Evening (4h)	97.00	-	-	97.00		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)		
	Day (12h)	12.00	Day	97.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	97.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	97.0	1.00	8.00000	0.00	0.0		
EQCN002	Label	Tehnoloģiskais troksnis (ventilācija)		Action radius/m			99999.00			
	Group	Tehnoloģiskais troksnis		Emission is			Sound power level (Lw)			
	Number of nodes	1		Emi. variant	Emission	Sound insul.	Correction	Lw		
	Length/ m	---			dB(A)	dB	dB	dB(A)		
	Length/ m (2D)	---		Day (12h)	100.20	-	-	100.20		
	Area /m²	---		Night (8h)	100.20	-	-	100.20		
				Evening (4h)	100.20	-	-	100.20		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)		
	Day (12h)	12.00	Day	100.2	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	100.2	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	100.2	1.00	8.00000	0.00	0.0		
EQCN003	Label	Biomisas kurtuve Ness/motors		Action radius/m			99999.00			
	Group	Biomisas kurtuve Ness		Emission is			Sound power level (Lw)			
	Number of nodes	1		Emi. variant	Emission	Sound insul.	Correction	Lw		
	Length/ m	---			dB(A)	dB	dB	dB(A)		
	Length/ m (2D)	---		Day (12h)	84.50	-	-	84.50		

	Area /m²	---			Night (8h)	84.50	-	-	84.50	
					Evening (4h)	84.50	-	-	84.50	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)	12.00	Day	84.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	84.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	84.5	1.00	8.00000		0.00	0.0	
EQCN004	Label	KSP bloks			Action radius/m			99999.00		
	Group	Group 0			Emission is			Sound power level (Lw)		
	Number of nodes	1			Emi. variant	Emission	Sound insul.	Correction	Lw	
	Length/ m	---				dB(A)	dB	dB	dB(A)	
	Length/ m (2D)	---			Day (12h)	102.80	-	-	102.80	
	Area /m²	---			Night (8h)	102.80	-	-	102.80	
					Evening (4h)	102.80	-	-	102.80	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)	12.00	Day	102.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	102.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	102.8	1.00	8.00000		0.00	0.0	

Line source /CNOSSOS (7)													Plānota darbība		
LQCN015	Label		gatavā produkcija_F				Action radius/m				99999.00				
	Group		transports nākotne				Lw (Day (12h)) /dB(A)				103.80				
	Number of nodes		4				Lw (Night (8h)) /dB(A)				103.80				
	Length/ m		119.09				Lw (Evening (4h)) /dB(A)				103.80				
	Length/ m (2D)		119.08				Lw' (Day (12h)) /dB(A)				83.04				
	Area /m²		---				Lw' (Night (8h)) /dB(A)				83.04				
							Lw' (Evening (4h)) /dB(A)				83.04				
							Emission is				Sound power level (Lw)				
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: lorry												
	Day (12h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3		
	Night (8h)	Emission	Reference: lorry												
	Night (8h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3		
	Evening (4h)	Emission	Reference: lorry												
	Evening (4h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3		

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB	Lw'r /dB(A)		
	Day (12h)		12.00	Day	83.0		1.00		0.08448		-21.52	-21.5		
	Evening (4h)		4.00	Evening	83.0		1.00		0.00000		-99.00	-		
	Night (8h)		8.00	Night	83.0		1.00		0.00000		-99.00	-		
LQCN016	Label		gatavā produkcija_F				Action radius/m				99999.0			
	Group		transports nākotne				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		57				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		1108.22				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		1108.15				Lw' (Day (12h)) /dB(A)				73.35			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				73.35			
							Lw' (Evening (4h)) /dB(A)				73.35			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB	Lw'r /dB(A)		
	Day (12h)		12.00	Day	73.4		1.00		0.39306		-14.85	-14.8		
	Evening (4h)		4.00	Evening	73.4		1.00		0.00000		-99.00	-		
	Night (8h)		8.00	Night	73.4		1.00		0.00000		-99.00	-		
LQCN017	Label		Uz pieņemšanu_F				Action radius/m				99999.00			
	Group		transports nākotne				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		62				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		776.96				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		776.95				Lw' (Day (12h)) /dB(A)				74.90			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				74.90			
							Lw' (Evening (4h)) /dB(A)				74.90			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	74.9	-	-	47.1	56.2	58.7	66.1	69.3	70.5	67.3	57.2	

	Night (8h)	Emission	Reference: lorry													
	Night (8h)	Lw' /dB (A)	74.9	-	-	47.1	56.2	58.7	66.1	69.3	70.5	67.3	57.2			
	Evening (4h)	Emission	Reference: lorry													
	Evening (4h)	Lw' /dB (A)	74.9	-	-	47.1	56.2	58.7	66.1	69.3	70.5	67.3	57.2			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				0.0		0.0		0.0				0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)			
	Day (12h)		12.00	Day	74.9		1.00		0.31520		-15.81		-15.8			
	Evening (4h)		4.00	Evening	74.9		1.00		0.12117		-15.19		-15.2			
	Night (8h)		8.00	Night	74.9		1.00		0.02375		-25.27		-25.3			
LQCN018	Label		Uz pieņemšanu_F					Action radius/m					99999.00			
	Group		transports nākotne					Lw (Day (12h)) /dB(A)					103.80			
	Number of nodes		37					Lw (Night (8h)) /dB(A)					103.80			
	Length/ m		346.38					Lw (Evening (4h)) /dB(A)					103.80			
	Length/ m (2D)		346.37					Lw' (Day (12h)) /dB(A)					78.41			
	Area /m²		---					Lw' (Night (8h)) /dB(A)					78.41			
								Lw' (Evening (4h)) /dB(A)					78.41			
								Emission is					Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: lorry													
	Day (12h)	Lw' /dB (A)	78.4	-	-	50.6	59.7	62.2	69.6	72.8	74.0	70.8	60.7			
	Night (8h)	Emission	Reference: lorry													
	Night (8h)	Lw' /dB (A)	78.4	-	-	50.6	59.7	62.2	69.6	72.8	74.0	70.8	60.7			
	Evening (4h)	Emission	Reference: lorry													
	Evening (4h)	Lw' /dB (A)	78.4	-	-	50.6	59.7	62.2	69.6	72.8	74.0	70.8	60.7			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				0.0		0.0		0.0				0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)			
	Day (12h)		12.00	Day	78.4		1.00		0.28104		-16.30		-16.3			
	Evening (4h)		4.00	Evening	78.4		1.00		0.10804		-15.68		-15.7			
	Night (8h)		8.00	Night	78.4		1.00		0.02117		-25.77		-25.8			
LQCN019	Label		Ķīmija un ar būvniecību saistītas piegād_F					Action radius/m					99999.00			
	Group		transports nākotne					Lw (Day (12h)) /dB(A)					103.80			
	Number of nodes		4					Lw (Night (8h)) /dB(A)					103.80			
	Length/ m		119.09					Lw (Evening (4h)) /dB(A)					103.80			
	Length/ m (2D)		119.08					Lw' (Day (12h)) /dB(A)					83.04			
	Area /m²		---					Lw' (Night (8h)) /dB(A)					83.04			
								Lw' (Evening (4h)) /dB(A)					83.04			

							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	83.0	-	-	55.2	64.3	66.8	74.2	77.4	78.6	75.4	65.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	83.0		1.00		0.01134		-30.25		-30.2	
	Evening (4h)		4.00	Evening	83.0		1.00		0.00186		-33.33		-33.3	
	Night (8h)		8.00	Night	83.0		1.00		0.00013		-47.89		-47.9	
LQCN020	Label		Kīmija un ar būvniecību saistītas piegād_F				Action radius/m				99999.00			
	Group		transports nākotne				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		57				Lw (Night (8h)) /dB(A)				103.80			
	Length/ m		1108.22				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		1108.15				Lw' (Day (12h)) /dB(A)				73.35			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				73.35			
							Lw' (Evening (4h)) /dB(A)				73.35			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	73.4	-	-	45.6	54.7	57.2	64.6	67.8	69.0	65.8	55.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	73.4		1.00		0.05275		-23.57		-23.6	
	Evening (4h)		4.00	Evening	73.4		1.00		0.00434		-29.65		-29.6	
	Night (8h)		8.00	Night	73.4		1.00		0.00015		-47.27		-47.3	
LQCN021	Label		PIEGĀDE				Action radius/m				99999.00			
	Group		transports nākotne				Lw (Day (12h)) /dB(A)				103.80			
	Number of nodes		2				Lw (Night (8h)) /dB(A)				103.80			

	Length/ m		7.13				Lw (Evening (4h)) /dB(A)				103.80			
	Length/ m (2D)		7.13				Lw' (Day (12h)) /dB(A)				95.27			
	Area /m²		---				Lw' (Night (8h)) /dB(A)				95.27			
							Lw' (Evening (4h)) /dB(A)				95.27			
							Emission is				Sound power level (Lw)			
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: lorry											
	Day (12h)	Lw' /dB (A)	95.3	-	-	67.5	76.6	79.1	86.5	89.7	90.9	87.7	77.6	
	Night (8h)	Emission	Reference: lorry											
	Night (8h)	Lw' /dB (A)	95.3	-	-	67.5	76.6	79.1	86.5	89.7	90.9	87.7	77.6	
	Evening (4h)	Emission	Reference: lorry											
	Evening (4h)	Lw' /dB (A)	95.3	-	-	67.5	76.6	79.1	86.5	89.7	90.9	87.7	77.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)	
	Day (12h)		12.00	Day	95.3		1.00		0.37686		-15.03		-15.0	
	Evening (4h)		4.00	Evening	95.3		1.00		0.10990		-15.61		-15.6	
	Night (8h)		8.00	Night	95.3		1.00		0.02130		-25.75		-25.7	

Area source /CNOSSOS (69)										Plānota darbība		
FQCN078	Label	šķeldotāja darba laukums				Action radius/m			99999.00			
	Group	šķeldotājs_F				Emission is			Sound power level (Lw)			
	Number of nodes	5				Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m	272.69					dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	272.69				Day (12h)	126.40	-	-	126.40	89.74	
	Area /m²	4633.66				Night (8h)	0.00	-	-	0.00	-36.66	
						Evening (4h)	0.00	-	-	0.00	-36.66	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)		n times		Impact time /h		dLi /dB		Lw"r /dB(A)
	Day (12h)	12.00	Day	89.7		1.00		8.40000		-1.55		-1.5
	Evening (4h)	4.00	Evening	-36.7		1.00		0.00000		-99.00		-
	Night (8h)	8.00	Night	-36.7		1.00		0.00000		-99.00		-
FQCN066	Label	2 frontālie iekrāvēji + 3 kravas mašīnas + MAN (nākotne)				Action radius/m			99999.00			
	Group	zaļš nākotne				Emission is			Sound power level (Lw)			
	Number of nodes	17				Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m	888.19					dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	888.19				Day (12h)	109.20	-	-	109.20	63.41	

	Area /m²	37944.14			Night (8h)	109.20	-	-	109.20	63.41
					Evening (4h)	109.20	-	-	109.20	63.41
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	63.4	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	63.4	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	63.4	1.00	8.00000		0.00	0.0	
FQCN067	Label	2 frontālie iekrāvēji + 3 kravas mašīnas + MAN (nākotne)			Action radius/m			99999.00		
	Group	zaļš m nākotne			Emission is			Sound power level (Lw)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	340.96				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	340.96			Day (12h)	101.50	-	-	101.50	63.47
	Area /m²	6352.14			Night (8h)	101.50	-	-	101.50	63.47
					Evening (4h)	101.50	-	-	101.50	63.47
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	63.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	63.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	63.5	1.00	8.00000		0.00	0.0	
FQCN063	Label	2 frontālie + kalmārs + 3 kravas (nākotne)			Action radius/m			99999.00		
	Group	violeta nākotne			Emission is			Sound power level (Lw)		
	Number of nodes	17			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	1412.48				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1412.47			Day (12h)	113.80	-	-	113.80	65.47
	Area /m²	68036.01			Night (8h)	113.80	-	-	113.80	65.47
					Evening (4h)	113.80	-	-	113.80	65.47
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	65.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	65.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	65.5	1.00	8.00000		0.00	0.0	
FQCN001	Label	Pneimotransporta sistēmas izvadi/ziemeļi			Action radius/m			99999.00		
	Group	stacionāri avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	49.34				dB(A)	dB	dB	dB(A)	dB(A)



	Length/ m (2D)	38.34			Day (12h)	86.90	-	-	107.13	86.90
	Area /m²	105.42			Night (8h)	86.90	-	-	107.13	86.90
					Evening (4h)	86.90	-	-	107.13	86.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	86.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	86.9	1.00	8.00000		0.00	0.0	
FQCN002	Label	Pneimotransporta sistēmas izvadi/austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	22.14				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	11.14			Day (12h)	81.30	-	-	96.16	81.30
	Area /m²	30.63			Night (8h)	81.30	-	-	96.16	81.30
					Evening (4h)	81.30	-	-	96.16	81.30
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	81.3	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	81.3	1.00	8.00000		0.00	0.0	
FQCN003	Label	Pneimotransporta sistēmas izvadi/dienvidi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	49.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	38.63			Day (12h)	86.90	-	-	107.16	86.90
	Area /m²	106.23			Night (8h)	86.90	-	-	107.16	86.90
					Evening (4h)	86.90	-	-	107.16	86.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	86.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	86.9	1.00	8.00000		0.00	0.0	
FQCN004	Label	Pneimotransporta sistēmas izvadi/rietumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"

	Length/ m	22.03			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	11.03		Day (12h)	81.30	-	-	96.12	81.30
	Area /m²	30.33		Night (8h)	81.30	-	-	96.12	81.30
				Evening (4h)	81.30	-	-	96.12	81.30
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	81.3	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	81.3	1.00	8.00000	0.00	0.0	
FQCN005	Label	Pneimotransporta sistēmas izvadi/avgša		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	49.57			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	49.57		Day (12h)	86.40	-	-	106.68	86.40
	Area /m²	106.63		Night (8h)	86.40	-	-	106.68	86.40
				Evening (4h)	86.40	-	-	106.68	86.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	86.4	1.00	8.00000	0.00	0.0	
FQCN006	Label	Pneimotransporta sistēmas izvadi/apakša		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	49.57			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	49.57		Day (12h)	81.30	-	-	101.58	81.30
	Area /m²	106.63		Night (8h)	81.30	-	-	101.58	81.30
				Evening (4h)	81.30	-	-	101.58	81.30
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	81.3	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	81.3	1.00	8.00000	0.00	0.0	
FQCN007	Label	Koksnes atkritumu reģenerācijas līnija/ziemeļi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		

	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	83.82				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.42			Day (12h)	85.60	-	-	111.62	85.60
	Area /m²	399.97			Night (8h)	85.60	-	-	111.62	85.60
					Evening (4h)	85.60	-	-	111.62	85.60
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	85.6	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	85.6	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	85.6	1.00	8.00000		0.00	0.0	
FQCN008	Label	Koksnes atkritumu reģenerācijas līnija/austumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	83.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.23			Day (12h)	88.00	-	-	114.00	88.00
	Area /m²	398.56			Night (8h)	88.00	-	-	114.00	88.00
					Evening (4h)	88.00	-	-	114.00	88.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	88.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	88.0	1.00	8.00000		0.00	0.0	
FQCN009	Label	Koksnes atkritumu reģenerācijas līnija/dienvīdi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	84.74				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	55.34			Day (12h)	84.00	-	-	110.09	84.00
	Area /m²	406.72			Night (8h)	84.00	-	-	110.09	84.00
					Evening (4h)	84.00	-	-	110.09	84.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	84.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	84.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	84.0	1.00	8.00000		0.00	0.0	
FQCN010	Label	Koksnes atkritumu reģenerācijas līnija/rietumi			Action radius/m			99999.00		

	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	83.87			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.47		Day (12h)	82.10	-	-	108.12	82.10
	Area /m²	400.37		Night (8h)	82.10	-	-	108.12	82.10
				Evening (4h)	82.10	-	-	108.12	82.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	82.1	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	82.1	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	82.1	1.00	8.00000	0.00	0.0	
FQCN012	Label	C30 RIETUMI		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	11.88			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1.88		Day (12h)	85.60	-	-	92.31	85.60
	Area /m²	4.69		Night (8h)	85.60	-	-	92.31	85.60
				Evening (4h)	85.60	-	-	92.31	85.60
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	85.6	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	85.6	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	85.6	1.00	8.00000	0.00	0.0	
FQCN013	Label	C30 ZIEMEĻI		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	13.05			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	3.05		Day (12h)	90.00	-	-	98.82	90.00
	Area /m²	7.62		Night (8h)	90.00	-	-	98.82	90.00
				Evening (4h)	90.00	-	-	98.82	90.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	90.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	90.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	90.0	1.00	8.00000	0.00	0.0	

FQCN014	Label	C30 AUSTRUMI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	11.88				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	1.88			Day (12h)	87.80	-	-	94.51	87.80
	Area /m²	4.69			Night (8h)	87.80	-	-	94.51	87.80
					Evening (4h)	87.80	-	-	94.51	87.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	87.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	87.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	87.8	1.00	8.00000		0.00	0.0	
FQCN015	Label	C30 DIENVIDI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	13.05				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	3.05			Day (12h)	88.90	-	-	97.72	88.90
	Area /m²	7.62			Night (8h)	88.90	-	-	97.72	88.90
					Evening (4h)	88.90	-	-	97.72	88.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	88.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	88.9	1.00	8.00000		0.00	0.0	
FQCN016	Label	C30 AUGŠA			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	4.92				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	4.92			Day (12h)	88.40	-	-	89.95	88.40
	Area /m²	1.43			Night (8h)	88.40	-	-	89.95	88.40
					Evening (4h)	88.40	-	-	89.95	88.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.4	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	88.4	1.00	4.00000		0.00	0.0	

	Night (8h)	8.00	Night	88.4	1.00	8.00000	0.00	0.0		
FQCN017	Label	Biomosas kurtuve Ness/austrumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	82.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	42.00			Day (12h)	77.80	-	-	104.03	77.80
	Area /m²	420.00			Night (8h)	77.80	-	-	104.03	77.80
					Evening (4h)	77.80	-	-	104.03	77.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	77.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	77.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	77.8	1.00	8.00000		0.00	0.0	
FQCN018	Label	Biomosas kurtuve Ness/dienvidi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	86.85				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	46.85			Day (12h)	72.00	-	-	98.71	72.00
	Area /m²	468.54			Night (8h)	72.00	-	-	98.71	72.00
					Evening (4h)	72.00	-	-	98.71	72.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	72.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	72.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	72.0	1.00	8.00000		0.00	0.0	
FQCN019	Label	Biomosas kurtuve Ness/rietumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	82.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	42.00			Day (12h)	75.60	-	-	101.83	75.60
	Area /m²	420.00			Night (8h)	75.60	-	-	101.83	75.60
					Evening (4h)	75.60	-	-	101.83	75.60
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.6	1.00	12.00000		0.00	0.0	

	Evening (4h)	4.00	Evening	75.6	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	75.6	1.00	8.00000	0.00	0.0		
FQCN020	Label	Biomazas kurtuve Ness/ziemeļi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	86.88				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	46.88			Day (12h)	70.50	-	-	97.21	70.50
	Area /m²	468.76			Night (8h)	70.50	-	-	97.21	70.50
					Evening (4h)	70.50	-	-	97.21	70.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	70.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	70.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	70.5	1.00	8.00000		0.00	0.0	
FQCN022	Label	Pneimotransporta sistēmu izvadi/dienvidi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	48.86				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	12.86			Day (12h)	88.00	-	-	108.63	88.00
	Area /m²	115.72			Night (8h)	88.00	-	-	108.63	88.00
					Evening (4h)	88.00	-	-	108.63	88.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	88.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	88.0	1.00	8.00000		0.00	0.0	
FQCN023	Label	Pneimotransporta sistēmu izvadi/rietumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	70.22				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	34.22			Day (12h)	87.00	-	-	111.89	87.00
	Area /m²	307.99			Night (8h)	87.00	-	-	111.89	87.00
					Evening (4h)	87.00	-	-	111.89	87.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	

	Day (12h)	12.00	Day	87.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	87.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	87.0	1.00	8.00000	0.00	0.0
<b>FQCN024</b>	<b>Label</b>	Pneimotransporta sistēmu izvadī/ziemeļi			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	stacionari avoti			<b>Emission is</b>		SPL per unit area (Lw/m²)	
	<b>Number of nodes</b>	5			<b>Emi. variant</b>	<b>Emission</b>	<b>Sound insul.</b>	<b>Lw</b>
	<b>Length/ m</b>	49.47				dB(A)	dB	dB(A)
	<b>Length/ m (2D)</b>	13.47			<b>Day (12h)</b>	87.00	-	107.84
	<b>Area /m²</b>	121.27			<b>Night (8h)</b>	87.00	-	107.84
					<b>Evening (4h)</b>	87.00	-	107.84
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>
	Lden			0.0	0.0	0.0		0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw" /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw"r /dB(A)</b>
	Day (12h)	12.00	Day	87.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	87.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	87.0	1.00	8.00000	0.00	0.0
<b>FQCN025</b>	<b>Label</b>	Pneimotransporta sistēmu izvadī/augša			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	stacionari avoti			<b>Emission is</b>		SPL per unit area (Lw/m²)	
	<b>Number of nodes</b>	5			<b>Emi. variant</b>	<b>Emission</b>	<b>Sound insul.</b>	<b>Lw</b>
	<b>Length/ m</b>	47.64				dB(A)	dB	dB(A)
	<b>Length/ m (2D)</b>	47.64			<b>Day (12h)</b>	86.40	-	106.95
	<b>Area /m²</b>	113.42			<b>Night (8h)</b>	86.40	-	106.95
					<b>Evening (4h)</b>	86.40	-	106.95
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>
	Lden			0.0	0.0	0.0		0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw" /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw"r /dB(A)</b>
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	86.4	1.00	8.00000	0.00	0.0
<b>FQCN026</b>	<b>Label</b>	Objekts Nr.17/rietumi			<b>Action radius/m</b>		99999.00	
	<b>Group</b>	stacionari avoti			<b>Emission is</b>		SPL per unit area (Lw/m²)	
	<b>Number of nodes</b>	5			<b>Emi. variant</b>	<b>Emission</b>	<b>Sound insul.</b>	<b>Lw</b>
	<b>Length/ m</b>	32.00				dB(A)	dB	dB(A)
	<b>Length/ m (2D)</b>	14.00			<b>Day (12h)</b>	85.20	-	103.19
	<b>Area /m²</b>	63.00			<b>Night (8h)</b>	85.20	-	103.19
					<b>Evening (4h)</b>	85.20	-	103.19
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>
	Lden			0.0	0.0	0.0		0.0



	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	85.2	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	85.2	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	85.2	1.00	8.00000	0.00	0.0		
FQCN027	Label	Objekts Nr.17/austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw
	Length/ m	32.13				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	14.13			Day (12h)	87.50	-	-	105.53	87.50
	Area /m²	63.60			Night (8h)	87.50	-	-	105.53	87.50
					Evening (4h)	87.50	-	-	105.53	87.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	87.5	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	87.5	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	87.5	1.00	8.00000	0.00	0.0		
FQCN028	Label	Objekts Nr.17/auģa			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	103.76				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	103.76			Day (12h)	86.40	-	-	111.39	86.40
	Area /m²	315.42			Night (8h)	86.40	-	-	111.39	86.40
					Evening (4h)	86.40	-	-	111.39	86.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	86.4	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	86.4	1.00	8.00000	0.00	0.0		
FQCN029	Label	Objekts Nr.17/ziemeļi_M			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	41.22				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	23.22			Day (12h)	89.00	-	-	109.19	89.00
	Area /m²	104.50			Night (8h)	89.00	-	-	109.19	89.00
					Evening (4h)	89.00	-	-	109.19	89.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		

	Lden		-	0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	89.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	89.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	89.0	1.00	8.00000	0.00	0.0		
FQCN030	Label	Objekts Nr.17/ziemeļi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	84.36				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	66.36			Day (12h)	82.10	-	-	106.85	82.10
	Area /m²	298.63			Night (8h)	82.10	-	-	106.85	82.10
					Evening (4h)	82.10	-	-	106.85	82.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0	-	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	82.1	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	82.1	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	82.1	1.00	8.00000	0.00	0.0		
FQCN031	Label	Pneimotransporta sistēmas izejas/ziemeļi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	45.99				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	35.99			Day (12h)	81.80	-	-	101.34	81.80
	Area /m²	89.98			Night (8h)	81.80	-	-	101.34	81.80
					Evening (4h)	81.80	-	-	101.34	81.80
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0	-	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	81.8	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	81.8	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	81.8	1.00	8.00000	0.00	0.0		
FQCN032	Label	Pneimotransporta sistēmas izejas/austrumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	26.36				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	16.36			Day (12h)	83.30	-	-	99.42	83.30
	Area /m²	40.89			Night (8h)	83.30	-	-	99.42	83.30
					Evening (4h)	83.30	-	-	99.42	83.30

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	83.3	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	83.3	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	83.3	1.00	8.00000		0.00	0.0	
FQCN033	Label	Pneimotransporta sistēmas izejas/dienvidi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	46.13				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	36.13			Day (12h)	82.00	-	-	101.56	82.00
	Area /m²	90.31			Night (8h)	82.00	-	-	101.56	82.00
					Evening (4h)	82.00	-	-	101.56	82.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	82.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	82.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	82.0	1.00	8.00000		0.00	0.0	
FQCN034	Label	Pneimotransporta sistēmas izejas/rietumi			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	26.35				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	16.35			Day (12h)	78.20	-	-	94.32	78.20
	Area /m²	40.89			Night (8h)	78.20	-	-	94.32	78.20
					Evening (4h)	78.20	-	-	94.32	78.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	78.2	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	78.2	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	78.2	1.00	8.00000		0.00	0.0	
FQCN035	Label	Pneimotransporta sistēmas izejas/auģša			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	52.41				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	52.41			Day (12h)	83.00	-	-	104.68	83.00
	Area /m²	147.34			Night (8h)	83.00	-	-	104.68	83.00

				Evening (4h)	83.00	-	-	104.68	83.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	83.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	83.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	83.0	1.00	8.00000	0.00	0.0	
FQCN036	Label	Objekts Nr.18/AUGŠA			Action radius/m		99999.00		
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)		
	Number of nodes	7			Emi. variant	Emission	Sound insul.	Correction	Lw Lw"
	Length/ m	511.48				dB(A)	dB	dB	dB(A) dB(A)
	Length/ m (2D)	511.48			Day (12h)	65.30	-	-	107.38 65.30
	Area /m²	16139.58			Night (8h)	65.30	-	-	107.38 65.30
					Evening (4h)	65.30	-	-	107.38 65.30
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	65.3	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	65.3	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	65.3	1.00	8.00000	0.00	0.0	
FQCN037	Label	Objekts Nr.18/ZIEMEĻ_M			Action radius/m		99999.00		
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw Lw"
	Length/ m	102.07				dB(A)	dB	dB	dB(A) dB(A)
	Length/ m (2D)	88.07			Day (12h)	75.50	-	-	100.39 75.50
	Area /m²	308.25			Night (8h)	75.50	-	-	100.39 75.50
					Evening (4h)	75.50	-	-	100.39 75.50
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	75.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.5	1.00	8.00000	0.00	0.0	
FQCN038	Label	Objekts Nr.18/AUSTRUMI			Action radius/m		99999.00		
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw Lw"
	Length/ m	196.93				dB(A)	dB	dB	dB(A) dB(A)
	Length/ m (2D)	182.93			Day (12h)	80.00	-	-	108.06 80.00

	Area /m²	640.26			Night (8h)	80.00	-	-	108.06	80.00
					Evening (4h)	80.00	-	-	108.06	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000		0.00	0.0	
FQCN039	Label	Objekts Nr.18/AUSTRUMI_m			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	6			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	58.60				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	44.60			Day (12h)	75.00	-	-	96.93	75.00
	Area /m²	156.10			Night (8h)	75.00	-	-	96.93	75.00
					Evening (4h)	75.00	-	-	96.93	75.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	75.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	75.0	1.00	8.00000		0.00	0.0	
FQCN040	Label	Objekts Nr.18/ZIEMEĻI_M2			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	41.06				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	27.06			Day (12h)	75.50	-	-	95.26	75.50
	Area /m²	94.70			Night (8h)	75.50	-	-	95.26	75.50
					Evening (4h)	75.50	-	-	95.26	75.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	75.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	75.5	1.00	8.00000		0.00	0.0	
FQCN041	Label	Objekts Nr.18/ZIEMEĻI			Action radius/m		99999.00			
	Group	stacionari avoti			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	182.66				dB(A)	dB	dB	dB(A)	dB(A)

	Length/ m (2D)	168.66			Day (12h)	79.90	-	-	107.61	79.90
	Area /m²	590.31			Night (8h)	79.90	-	-	107.61	79.90
					Evening (4h)	79.90	-	-	107.61	79.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	79.9	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	79.9	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	79.9	1.00	8.00000		0.00	0.0	
FQCN042	Label	Objekts Nr.18/RIETUMI			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	163.13				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	149.13			Day (12h)	77.10	-	-	104.28	77.10
	Area /m²	521.97			Night (8h)	77.10	-	-	104.28	77.10
					Evening (4h)	77.10	-	-	104.28	77.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	77.1	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	77.1	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	77.1	1.00	8.00000		0.00	0.0	
FQCN043	Label	Objekts Nr.18/RIETUMI_M			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	90.80				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	76.80			Day (12h)	82.50	-	-	106.79	82.50
	Area /m²	268.79			Night (8h)	82.50	-	-	106.79	82.50
					Evening (4h)	82.50	-	-	106.79	82.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	82.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	82.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	82.5	1.00	8.00000		0.00	0.0	
FQCN044	Label	Objekts Nr.18/DIENVIDI_MK			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"

	Length/ m	47.37				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	33.37			Day (12h)	78.00	-	-	98.67	78.00
	Area /m²	116.79			Night (8h)	78.00	-	-	98.67	78.00
					Evening (4h)	78.00	-	-	98.67	78.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	78.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	78.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	78.0	1.00	8.00000	0.00	0.0		
FQCN045	Label	Objekts Nr.18/DIENVIDI_L			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	233.53				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	219.53			Day (12h)	85.70	-	-	114.56	85.70
	Area /m²	768.35			Night (8h)	85.70	-	-	114.56	85.70
					Evening (4h)	85.70	-	-	114.56	85.70
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	85.7	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	85.7	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	85.7	1.00	8.00000	0.00	0.0		
FQCN046	Label	Objekts Nr.18/DIENVIDI-ML			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	46.81				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	32.81			Day (12h)	81.40	-	-	102.00	81.40
	Area /m²	114.85			Night (8h)	81.40	-	-	102.00	81.40
					Evening (4h)	81.40	-	-	102.00	81.40
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	81.4	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	81.4	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	81.4	1.00	8.00000	0.00	0.0		
FQCN047	Label	KSP rietumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		

	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	124.80			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	94.80		Day (12h)	79.50	-	-	108.02	79.50
	Area /m²	710.97		Night (8h)	79.50	-	-	108.02	79.50
				Evening (4h)	79.50	-	-	108.02	79.50
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	79.5	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	79.5	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	79.5	1.00	8.00000	0.00	0.0	
FQCN048	Label	KSP augša		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	292.12			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	292.12		Day (12h)	73.20	-	-	109.90	73.20
	Area /m²	4676.94		Night (8h)	73.20	-	-	109.90	73.20
				Evening (4h)	73.20	-	-	109.90	73.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	73.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	73.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	73.2	1.00	8.00000	0.00	0.0	
FQCN049	Label	KSP ziemeļi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	111.17			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	81.17		Day (12h)	75.20	-	-	103.04	75.20
	Area /m²	608.80		Night (8h)	75.20	-	-	103.04	75.20
				Evening (4h)	75.20	-	-	103.04	75.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	75.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	75.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	75.2	1.00	8.00000	0.00	0.0	
FQCN050	Label	KSP ziemeļi		Action radius/m			99999.00		



	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	146.22			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	116.22		Day (12h)	80.00	-	-	109.40	80.00
	Area /m²	871.67		Night (8h)	80.00	-	-	109.40	80.00
				Evening (4h)	80.00	-	-	109.40	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000	0.00	0.0	
FQCN051	Label	KSP dienvidi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	150.03			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	120.03		Day (12h)	83.20	-	-	112.74	83.20
	Area /m²	900.22		Night (8h)	83.20	-	-	112.74	83.20
				Evening (4h)	83.20	-	-	112.74	83.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	83.2	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	83.2	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	83.2	1.00	8.00000	0.00	0.0	
FQCN052	Label	KSP dienvidi		Action radius/m			99999.00		
	Group	stacionari avoti		Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw*
	Length/ m	63.42			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	33.42		Day (12h)	88.90	-	-	112.89	88.90
	Area /m²	250.65		Night (8h)	88.90	-	-	112.89	88.90
				Evening (4h)	88.90	-	-	112.89	88.90
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden			0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	88.9	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	88.9	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	88.9	1.00	8.00000	0.00	0.0	

FQCN053	Label	KSP dienvidi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	73.75				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	43.75			Day (12h)	0.00	-	-	25.16	0.00
	Area /m²	328.16			Night (8h)	0.00	-	-	25.16	0.00
					Evening (4h)	0.00	-	-	25.16	0.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	0.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	0.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	0.0	1.00	8.00000		0.00	0.0	
FQCN054	Label	KSP austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	41.19				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	11.19			Day (12h)	80.00	-	-	99.24	80.00
	Area /m²	83.93			Night (8h)	80.00	-	-	99.24	80.00
					Evening (4h)	80.00	-	-	99.24	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	80.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000		0.00	0.0	
FQCN055	Label	KSP austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	70.97				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	40.97			Day (12h)	81.00	-	-	105.88	81.00
	Area /m²	307.30			Night (8h)	81.00	-	-	105.88	81.00
					Evening (4h)	81.00	-	-	105.88	81.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	81.0	1.00	4.00000		0.00	0.0	

	Night (8h)	8.00	Night	81.0	1.00	8.00000	0.00	0.0		
FQCN056	Label	KSP austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	46.51				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	16.51			Day (12h)	80.00	-	-	100.93	80.00
	Area /m²	123.83			Night (8h)	79.00	-	-	99.93	79.00
					Evening (4h)	79.00	-	-	99.93	79.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	80.0	1.00	12.00000	0.00		0.0	
	Evening (4h)	4.00	Evening	79.0	1.00	4.00000	0.00		0.0	
	Night (8h)	8.00	Night	79.0	1.00	8.00000	0.00		0.0	
FQCN057	Label	KSP austrumi			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	56.17				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	26.17			Day (12h)	80.00	-	-	102.93	80.00
	Area /m²	196.30			Night (8h)	80.00	-	-	102.93	80.00
					Evening (4h)	80.00	-	-	102.93	80.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	80.0	1.00	12.00000	0.00		0.0	
	Evening (4h)	4.00	Evening	80.0	1.00	4.00000	0.00		0.0	
	Night (8h)	8.00	Night	80.0	1.00	8.00000	0.00		0.0	
FQCN069	Label	Koksnes atkritumu reģenerācijas līnija/augša			Action radius/m			99999.00		
	Group	stacionari avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	109.23				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	109.23			Day (12h)	79.10	-	-	107.82	79.10
	Area /m²	745.48			Night (8h)	79.10	-	-	107.82	79.10
					Evening (4h)	79.10	-	-	107.82	79.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			- 0.0	0.0	0.0				- 0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB			Lw"r /dB(A)
	Day (12h)	12.00	Day	79.1	1.00	12.00000	0.00		0.0	

	Evening (4h)	4.00	Evening	79.1	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	79.1	1.00	8.00000	0.00	0.0		
FQCN070	Label	Biomāšas kurtuve Ness/auģša			Action radius/m			99999.00		
	Group	stacionāri avoti			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	88.86				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	88.86			Day (12h)	68.20	-	-	95.12	68.20
	Area /m²	492.08			Night (8h)	68.20	-	-	95.12	68.20
					Evening (4h)	68.20	-	-	95.12	68.20
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	68.2	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	68.2	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	68.2	1.00	8.00000		0.00	0.0	
FQCN071	Label	reciklāta tornis (plānots)			Action radius/m			99999.00		
	Group	reciklāta tornis (plānots)			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	83.82				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.42			Day (12h)	85.60	-	-	111.62	85.60
	Area /m²	399.97			Night (8h)	85.60	-	-	111.62	85.60
					Evening (4h)	85.60	-	-	111.62	85.60
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	85.6	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	85.6	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	85.6	1.00	8.00000		0.00	0.0	
FQCN072	Label	reciklāta tornis (plānots)			Action radius/m			99999.00		
	Group	reciklāta tornis (plānots)			Emission is			SPL per unit area (Lw/m²)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	83.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.23			Day (12h)	88.00	-	-	114.00	88.00
	Area /m²	398.56			Night (8h)	88.00	-	-	114.00	88.00
					Evening (4h)	88.00	-	-	114.00	88.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	

	Day (12h)	12.00	Day	88.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	88.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	88.0	1.00	8.00000	0.00	0.0		
FQCN073	Label	reciklāta tornis (plānots)			Action radius/m		99999.00			
	Group	reciklāta tornis (plānots)			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	84.74				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	55.34			Day (12h)	84.00	-	-	110.09	84.00
	Area /m²	406.72			Night (8h)	84.00	-	-	110.09	84.00
					Evening (4h)	84.00	-	-	110.09	84.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	84.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	84.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	84.0	1.00	8.00000		0.00	0.0	
FQCN074	Label	reciklāta tornis (plānots)			Action radius/m		99999.00			
	Group	reciklāta tornis (plānots)			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	83.87				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	54.47			Day (12h)	82.10	-	-	108.12	82.10
	Area /m²	400.37			Night (8h)	82.10	-	-	108.12	82.10
					Evening (4h)	82.10	-	-	108.12	82.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	82.1	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	82.1	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	82.1	1.00	8.00000		0.00	0.0	
FQCN075	Label	reciklāta tornis (plānots)			Action radius/m		99999.00			
	Group	reciklāta tornis (plānots)			Emission is		SPL per unit area (Lw/m²)			
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	109.23				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	109.23			Day (12h)	79.10	-	-	107.82	79.10
	Area /m²	745.48			Night (8h)	79.10	-	-	107.82	79.10
					Evening (4h)	79.10	-	-	107.82	79.10
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden			-	0.0	0.0	0.0		-	0.0

	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	79.1	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	79.1	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	79.1	1.00	8.00000	0.00	0.0		
FQCN059	Label	Tehnoloģiskā cikla sākuma laukums			Action radius/m		99999.00			
	Group	oranzs planota			Emission is		Sound power level (Lw)			
	Number of nodes	9			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	484.00				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	484.00			Day (12h)	106.90	-	-	106.90	65.25
	Area /m²	14611.26			Night (8h)	106.90	-	-	106.90	65.25
					Evening (4h)	106.90	-	-	106.90	65.25
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	65.3	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	65.3	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	65.3	1.00	8.00000	0.00	0.0		
FQCN065	Label	3 kravas mašīnas (plānota)			Action radius/m		99999.00			
	Group	dzeltens (planota)			Emission is		Sound power level (Lw)			
	Number of nodes	7			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	694.10				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	694.09			Day (12h)	101.40	-	-	101.40	57.79
	Area /m²	22985.75			Night (8h)	101.40	-	-	101.40	57.79
					Evening (4h)	101.40	-	-	101.40	57.79
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB
	Lden	-		0.0	0.0	0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	57.8	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	57.8	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	57.8	1.00	8.00000	0.00	0.0		
FQCN077	Label	drupinātāju darba laukums			Action radius/m		99999.00			
	Group	drupinatajs			Emission is		Sound power level (Lw)			
	Number of nodes	6			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	760.46				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	760.45			Day (12h)	114.00	-	-	114.00	68.51
	Area /m²	35399.13			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB

	Lden		-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)
	Day (12h)	12.00	Day	68.5	1.00	8.40000	-1.55	-1.5
	Evening (4h)	4.00	Evening	-	1.00	0.00000	-99.00	-
	Night (8h)	8.00	Night	-	1.00	0.00000	-99.00	-

Railway /SRM II (NL) (12)								Plānota darbība	
SCHt011	Label		Dzelzceļš plānota		Action radius/m		99999.00		
	Group		dz_nākotne		Lw (Day (12h)) /dB(A)		92.22		
	Number of nodes		6		Lw (Night (8h)) /dB(A)		92.22		
	Length/ m		77.56		Lw (Evening (4h)) /dB(A)		92.22		
	Length/ m (2D)		77.55						
	Area /m²		---						
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed				
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00	0.51	0.00	20.00	No correction	92.22	
	Night (8h)	Cat. 4	0.00	0.51	0.00	20.00	No correction	92.22	
	Evening (4h)	Cat. 4	0.00	0.51	0.00	20.00	No correction	92.22	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	- 0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)	
	Day (12h)		12.00	Day	92.2	1.00	12.00000	0.00 0.0	
	Evening (4h)		4.00	Evening	92.2	1.00	4.00000	0.00 0.0	
	Night (8h)		8.00	Night	92.2	1.00	8.00000	0.00 0.0	
SCHt012	Label		Dzelzceļš plānota		Action radius/m		99999.00		
	Group		dz_nākotne		Lw (Day (12h)) /dB(A)		89.30		
	Number of nodes		19		Lw (Night (8h)) /dB(A)		89.30		
	Length/ m		552.15		Lw (Evening (4h)) /dB(A)		89.30		
	Length/ m (2D)		552.15						
	Area /m²		---						
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed				
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00	0.26	0.00	20.00	No correction	89.30	
	Night (8h)	Cat. 4	0.00	0.26	0.00	20.00	No correction	89.30	
	Evening (4h)	Cat. 4	0.00	0.26	0.00	20.00	No correction	89.30	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	- 0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)	

	Day (12h)		12.00	Day	89.3	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	89.3	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	89.3	1.00	8.00000	0.00	0.0
SCHt013	Label		Dzelzceļš plānota			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		92.22	
	Number of nodes		36			Lw (Night (8h)) /dB(A)		92.22	
	Length/ m		379.13			Lw (Evening (4h)) /dB(A)		92.22	
	Length/ m (2D)		379.08						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.51	0.00	20.00	No correction	92.22
	Night (8h)	Cat. 4	0.00		0.51	0.00	20.00	No correction	92.22
	Evening (4h)	Cat. 4	0.00		0.51	0.00	20.00	No correction	92.22
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				- 0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	92.2	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	92.2	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	92.2	1.00	8.00000	0.00	0.0
SCHt014	Label		Dzelzceļš plānota			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		89.30	
	Number of nodes		35			Lw (Night (8h)) /dB(A)		89.30	
	Length/ m		552.64			Lw (Evening (4h)) /dB(A)		89.30	
	Length/ m (2D)		552.64						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.26	0.00	20.00	No correction	89.30
	Night (8h)	Cat. 4	0.00		0.26	0.00	20.00	No correction	89.30
	Evening (4h)	Cat. 4	0.00		0.26	0.00	20.00	No correction	89.30
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				- 0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	89.3	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	89.3	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	89.3	1.00	8.00000	0.00	0.0
SCHt015	Label		Dzelzceļš plānota			Action radius/m		99999.00	



	Group		dz_nākotne		Lw (Day (12h)) /dB(A)		82.93	
	Number of nodes		24		Lw (Night (8h)) /dB(A)		82.93	
	Length/ m		185.21		Lw (Evening (4h)) /dB(A)		82.93	
	Length/ m (2D)		185.18					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00	0.06	0.00	20.00	No correction	82.93
	Night (8h)	Cat. 4	0.00	0.06	0.00	20.00	No correction	82.93
	Evening (4h)	Cat. 4	0.00	0.06	0.00	20.00	No correction	82.93
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	82.9	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	82.9	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	82.9	1.00	8.00000	0.00 0.0
SCHt016	Label		Dzelzceļš plānota		Action radius/m		99999.00	
	Group		dz_nākotne		Lw (Day (12h)) /dB(A)		79.92	
	Number of nodes		10		Lw (Night (8h)) /dB(A)		79.92	
	Length/ m		58.65		Lw (Evening (4h)) /dB(A)		79.92	
	Length/ m (2D)		58.65					
	Area /m²		---					
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92
	Night (8h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92
	Evening (4h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	79.9	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	79.9	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	79.9	1.00	8.00000	0.00 0.0
SCHt017	Label		Dzelzceļš plānota		Action radius/m		99999.00	
	Group		dz_nākotne		Lw (Day (12h)) /dB(A)		79.92	
	Number of nodes		14		Lw (Night (8h)) /dB(A)		79.92	
	Length/ m		107.35		Lw (Evening (4h)) /dB(A)		79.92	
	Length/ m (2D)		107.35					

	Area /m²		---						
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed				
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92	
	Night (8h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92	
	Evening (4h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	79.9	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	79.9	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	79.9	1.00	8.00000	0.00	0.0
SCHt018	Label		Dzelzceļš plānota			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		82.93	
	Number of nodes		12			Lw (Night (8h)) /dB(A)		82.93	
	Length/ m		446.69			Lw (Evening (4h)) /dB(A)		82.93	
	Length/ m (2D)		446.69						
	Area /m²		---						
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed				
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00	0.06	0.00	20.00	No correction	82.93	
	Night (8h)	Cat. 4	0.00	0.06	0.00	20.00	No correction	82.93	
	Evening (4h)	Cat. 4	0.00	0.06	0.00	20.00	No correction	82.93	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	82.9	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	82.9	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	82.9	1.00	8.00000	0.00	0.0
SCHt019	Label		Dzelzceļš plānota			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		79.92	
	Number of nodes		20			Lw (Night (8h)) /dB(A)		79.92	
	Length/ m		312.79			Lw (Evening (4h)) /dB(A)		79.92	
	Length/ m (2D)		312.79						
	Area /m²		---						
	Track base				bb= 1: concrete single- or twin-block sleepers in ballastbed				
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00	0.03	0.00	20.00	No correction	79.92	

	Night (8h)	Cat. 4	0.00		0.03	0.00	20.00	No correction	79.92
	Evening (4h)	Cat. 4	0.00		0.03	0.00	20.00	No correction	79.92
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	79.9	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	79.9	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	79.9	1.00	8.00000	0.00	0.0
SCHt024	Label		Dzelzceļš plānota**			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		92.71	
	Number of nodes		30			Lw (Night (8h)) /dB(A)		92.71	
	Length/ m		247.58			Lw (Evening (4h)) /dB(A)		92.71	
	Length/ m (2D)		247.57						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.57	0.00	20.00	No correction	92.71
	Night (8h)	Cat. 4	0.00		0.57	0.00	20.00	No correction	92.71
	Evening (4h)	Cat. 4	0.00		0.57	0.00	20.00	No correction	92.71
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	92.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	92.7	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	92.7	1.00	8.00000	0.00	0.0
SCHt023	Label		Dzelzceļš plānota*			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		92.71	
	Number of nodes		3			Lw (Night (8h)) /dB(A)		92.71	
	Length/ m		18.72			Lw (Evening (4h)) /dB(A)		92.71	
	Length/ m (2D)		18.70						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h		Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)
	Day (12h)	Cat. 4	0.00		0.57	0.00	20.00	No correction	92.71
	Night (8h)	Cat. 4	0.00		0.57	0.00	20.00	No correction	92.71
	Evening (4h)	Cat. 4	0.00		0.57	0.00	20.00	No correction	92.71
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0

	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	92.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	92.7	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	92.7	1.00	8.00000	0.00	0.0
SCHt020	Label		Dzelzceļš plānota			Action radius/m		99999.00	
	Group		dz_nākotne			Lw (Day (12h)) /dB(A)		92.71	
	Number of nodes		13			Lw (Night (8h)) /dB(A)		92.71	
	Length/ m		122.76			Lw (Evening (4h)) /dB(A)		92.71	
	Length/ m (2D)		122.75						
	Area /m²		---						
	Track base					bb= 1: concrete single- or twin-block sleepers in ballastbed			
	Emiss. variant	Category	Qc /h	Qr,c /h	vc /km/h	vr,c /km/h	Roughness	LE /dB(A)	
	Day (12h)	Cat. 4	0.00	0.57	0.00	20.00	No correction	92.71	
	Night (8h)	Cat. 4	0.00	0.57	0.00	20.00	No correction	92.71	
	Evening (4h)	Cat. 4	0.00	0.57	0.00	20.00	No correction	92.71	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	92.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	92.7	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	92.7	1.00	8.00000	0.00	0.0